

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S43	4845	allocat\$3 with (slot\$1 channel\$1) with (slot? channel?) and (power energy (power adj level\$1)) with (maximum limi\$3) and (allow\$2)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/04/15 19:49
S44	2974	(base adj station) and (HSDPA or (high adj speed adj downlink adj packet adj access)) and service\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/04/15 19:50
S45	202	receiv\$3 with (control adj signal) with indicat\$3 and (usage) with (power or energy or (power adj (level or value)) or (maximum adj power) or (allowed adj power))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/04/15 19:52
S46	7	S43 and S45	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/04/15 19:52
S47	992	receiv\$3 and (control adj signal) with indicat\$3 and (usage) with (power or energy or (power adj (level or value)) or (maximum adj power) or (allowed adj power))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/04/15 19:52
S48	4139	receiv\$3 and (control adj signal) with indicat\$3 and (usage) and (power or energy or (power adj (level or value)) or (maximum adj power) or (allowed adj power))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/04/15 19:52
S49	268	S43 and S48	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/04/15 19:53
S50	4	S44 and S49	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/04/15 19:53
S51	13	S48 and S44	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/04/15 19:56

S52	1	"7317700".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/04/15 19:58
S55	249	((base adj station) or BS) with (power adj control) and (inform\$3 indicat\$3) with (increas\$3 or decreas\$3) with (transmit adj power)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/16 12:14
S56	54	(power adj control) with (maximum max) with (allow\$4 adj power)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/16 12:15
S58	477	(power adj control) and (maximum max) with (allow\$4 adj power)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/16 12:15
S59	2588	(power adj control) and (maximum max) and (allow\$4 adj power)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/16 12:15
S63	4172	(base adj station) and (assign\$3 allocat\$3) and (timeslot\$1 or (time adj slot\$1)) and (control adj channel) and (TDMA or (time adj division adj multiple adj access))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/16 12:16
S64	357	((base adj station) or BS) and (power adj control) and (inform\$3 indicat\$3) with (increas\$3 or decreas\$3) with (transmit adj power)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/16 12:18
S65	2519	((base adj station) or BS) and (power adj control) and (inform\$3 indicat\$3) and (increas\$3 or decreas\$3) with (transmit adj power)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/16 12:18
S66	73	S59 and S63	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/16 12:18
S67	31	S65 and S66	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/16 12:18
S68	400733	"370"/("442,336,337,347,348").ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/16 12:42

S69	14	S67 and S68	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/16 12:42
S70	2441	(base adj station) and provid\$3 and (HSDPA or (high adj speed adj downloink adj packet adj services))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/16 12:44
S71	333	S68 and S70	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/16 12:44
S72	0	S69 and S71	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/16 12:44
S73	0	S69 and S70	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/16 12:44
S74	567	455/336.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/16 12:45
S75	0	S69 and S74	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/16 12:45
S76	0	S69 and S70	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/16 12:45
S77	6	S67 and S70	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/16 12:46
S78	133	(allocat\$3 or assign\$3) with (TTIs or (transmissin adj timing adj interval \$1)) and (downlink or reverse) and provid\$3 with service\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/16 13:10
S79	61	S70 and S78	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/16 13:11

S80	115	assign\$3 with ((maximum adj power) or (allow\$4 adj power)) and downlink	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/16 13:13
S81	1	S79 and S80	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/16 13:13
S82	11	assign\$3 with ((maximum adj power) or (allow\$4 adj power)) and downlink and (HSDPA)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/16 13:13
S83	9	"151710".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/16 14:06
S84	6	"944527".ap.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/16 14:14
S85	0	((base adj station) or BS) and (power adj control) and (inform\$3 indicat\$3) and (increas\$3 or decreas\$3) with (transmit adj power) and "370"/("442,336,337,347,348").ccls. and allocat\$3 with (channel? slot\$1) with (power (power adj level)) with (maximum max) with (HSDPA) and (allocat\$3 or assign\$3) with (TTIs or (transmissin adj timing adj interval \$1)) and (downlink or reverse) and provid\$3 with service\$1).clm.	US-PGPUB	OR	OFF	2010/04/16 16:56
S86	0	((base adj station) or BS) and (power adj control) and (inform\$3 indicat\$3) and (increas\$3 or decreas\$3) with (transmit adj power) and "370"/("442,336,337,347,348").ccls. and allocat\$3 with (channel? slot\$1) with (power (power adj level)) with (maximum max) with (HSDPA) and (allocat\$3 or assign\$3) with (TTIs or (transmissin adj timing adj interval \$1)) and (downlink or reverse) and provid\$3 with service\$1).clm.	US-PGPUB	OR	ON	2010/04/16 16:56
S87	49076	(maximum or total or max) near7 (power (power adj (level or value))) and (allowed or allow\$3 or allowance) and (assign\$43 or allocat\$3) wityh (threshold\$1 or condition \$1) and (HSDPA or (high adj speed adj downlink adj packet adj access))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/04/19 13:57

S89	133	(allocat\$3 or assign\$3) with (TTIs or (transmissin adj timing adj interval \$1)) and (downlink or reverse) and provid\$3 with service\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/19 13:58
S90	84	S87 and S89	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/19 13:59
S91	5286	allocat\$3 with (slot\$1 channel\$1) with (slot? channel?) and (power energy (power adj level\$1)) with (maximum max total)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/19 14:02
S92	23	S90 and S91	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/19 14:02
S93	12	HSDPA with (transmit near3 (power (allowable adj power))) near5 (slot? channel? or frame?)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/19 19:14
S94	144	HSDPA and (transmit near3 (power (allowable adj power))) near5 (slot? channel? or frame?)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/19 19:17
S95	11	assign\$3 with ((maximum adj power) or (allow\$4 adj power)) and downlink and (HSDPA)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/19 19:17
S96	169	assign\$3 and ((maximum adj power) or (allow\$4 adj power)) and downlink and (HSDPA)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/19 19:17
S97	11	S95 and S96	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/19 19:17
S98	122	assign\$3 and ((maximum adj power) or (allow\$4 adj power)) and downlink and (HSDPA) and (transmit near3 power)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/19 19:18
S99	117	assign\$3 and ((maximum adj power) or (allow\$4 adj power)) and downlink and (HSDPA) and (transmit near2 power)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/19 19:19

S100	110	assign\$3 and ((maximum adj power) or (allow\$4 adj power)) and downlink and (HSDPA) and (transmit near power)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/19 19:19
S101	64	assign\$3 and ((maximum adj power) or (allow\$4 adj power)) and downlink and (HSDPA) and (transmit near power) and (slot? or frame?)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/19 19:19
S102	48	assign\$3 and ((maximum adj power) or (allow\$4 adj power)) and downlink and (HSDPA) and (transmit near power) and (slot?)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/19 19:21
S103	9	(time\$slot or time adj slot timeslot) near10 (allocat\$5 or schedul\$5) near10 (power or (transmi \$10power) or strength) near10 (max or limit\$5 or total\$5 or threshold\$5 or exceed\$10 or increase or decreas \$5 or minumum or lower)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/04/20 13:22
S104	59	(time\$slot or time adj slot timeslot) near10 (allocat\$5 or assign\$5) near10 (power or (transmi \$10power) or strength) near10 (max or limit\$5 or total\$5 or threshold\$5 or exceed\$10 or increase or decreas \$5 or minumum or lower)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/04/20 13:48
S105	0	(time\$slot or time adj slot timeslot) near10 (allocat\$5 or assign\$5) near10 (power or (transmi \$10power) or strength) near10 (max or limit\$5 or total\$5 or threshold\$5 or exceed\$10 or increase or decreas \$5 or minumum or lower) near10 (base adj station) and provid\$3 and (HSDPA or (high adj speed adj downloink adj packet adj services))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/04/20 13:54
S106	0	(time\$slot or time adj slot timeslot) near10 (allocat\$5 or assign\$5) near10 (power or (transmi \$10power) or strength) near10 (max or limit\$5 or total\$5 or threshold\$5 or exceed\$10 or increase or decreas \$5 or minumum or lower) and (base adj station) and provid\$3 and (HSDPA or (high adj speed adj downloink adj packet adj services))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/04/20 13:54

S107	0	(time\$slot or time adj slot timeslot) near10 (alllocat\$5 or assign\$5) near10 (power or (transmi\$10power) or strength) near10 (max or limit\$5 or total\$5 or threshold\$5 or exceed\$10 or increase or decrease\$5 or minimum or lower) and (base adj station) and (HSDPA or (high adj speed adj downlink adj packet adj services))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/04/20 13:54
S108	16	(time\$slot or time adj slot timeslot) and (alllocat\$5 or assign\$5) near10 (power or (transmi\$10power) or strength) near10 (max or limit\$5 or total\$5 or threshold\$5 or exceed\$10 or increase or decrease\$5 or minimum or lower) and (base adj station) and (HSDPA or (high adj speed adj downlink adj packet adj services))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/04/20 13:55
S109	869	(slot or time-slot or (time adj slot) time\$slot) with (power adj level) and (allowed maximum or max)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/04/26 12:36
S110	0	alllocat\$3 with (power adj level) with (slot or time-slot or timeslot or (time adj slot))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/04/26 12:37
S111	89	alllocat\$3 with (power adj level) with (slot or time-slot or timeslot or (time adj slot))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	OFF	2010/04/26 12:37
S112	150	alllocat\$3 with (power adj level) with (slot or time-slot or timeslot or (time adj slot))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/26 12:37
S113	1182	(slot or time-slot or (time adj slot) time\$slot) with (power adj level) and (allowed maximum or max)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/26 12:37
S114	83	alllocat\$3 with (power adj level) with (threshold or criteria)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/26 12:37
S115	9	S112 and S114	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/26 12:38

S116	7	S113 and S115	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/26 12:38
S117	14	("4777653" "4811421" "5086508" "5333175" "5491837" "5519886" "5806003" "5848062" "6226526" "6519449" "6667965" "6747960" "6760311" "6934556").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2010/04/26 13:13
S118	10	S113 and S114	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/26 13:22
S119	35	allocat\$3 and (power adj level) with (threshold or criteria) and (per adj slot)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/26 13:28
S120	21	S113 and S119	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/26 13:28
S121	60	allocat\$3 and ((power adj level) or (transmit adj power)) with (threshold or criteria) and (per adj slot)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/26 13:32
S122	22	S113 and S121	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/26 13:32
S123	17	allocat\$3 with (power adj level) with (threshold or criteria) with (slot or time slot or time-slot or tme adj slot)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/26 13:45
S124	17	allocat\$3 with (power adj level) with (threshold or criteria) with (slot or time slot or time-slot or time adj slot)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/26 13:45
S125	17	allocat\$3 with (power adj level) with (threshold or criteria) with (slot or time slot or time-slot or (time adj slot))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/26 13:45

S126	1	"6760311".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/26 13:47
S127	5	assign\$3 with (maximum or max or minimum) with ((power adj level\$1) or (transmit adj power)) near3 (slot or time-slot or timeslot or (time adj slot))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/26 13:50
S128	0	assign\$3 with (maximum or max or minimum) with ((power adj level\$1) or (transmit adj power)) near3 (slot or time-slot or timeslot or (time adj slot)) and (per adj slot)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/26 13:51
S129	0	assign\$3 with (maximum or max or minimum) with ((power adj level\$1) or (transmit adj power)) near3 (slot or time-slot or timeslot or (time adj slot)) and (per adj slot)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/26 13:51
S130	5	assign\$3 with (maximum or max or minimum) with ((power adj level\$1) or (transmit adj power)) and (slot or time-slot or timeslot or (time adj slot)) and (per adj slot)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/26 13:51
S131	107	assign\$3 and (maximum or max or minimum) with ((power adj level\$1) or (transmit adj power)) and (slot or time-slot or timeslot or (time adj slot)) and (per adj slot)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO	OR	ON	2010/04/26 13:52

EAST Search History (Interference)

<This search history is empty>

4/ 27/ 2010 6:00:00 PM

C:\ Documents and Settings\jperez\ My Documents\ EAST\ Workspaces\ 10806502_04_26_10.wsp